Community Care Facilities and Wildfire Smoke

Why should I pay attention to wildfire smoke?

Wildfire smoke is a form of air pollution that can **impact your health**. Wildfire smoke contains very small particles that travel deep into your lungs when you inhale. These particles can cause irritation and inflammation.

Older adults and people with pre-existing health conditions are especially sensitive to the health effects of wildfire smoke.

Wildfire smoke and extreme heat events can often **occur at the same time.** Overheating is more dangerous than smoke exposure for most people at risk. **Cool and clean indoor air** is the best way to protect yourself from negative health impacts.



Symptoms from wildfire smoke may include:

- Sore throat
- · Eye irritation
- · Runny nose
- · Mild cough
- · Phlegm production
- · Wheezy breathing
- Headaches







More severe symptoms

include:

- · Shortness of breath
- · Severe cough
- Dizziness
- · Chest pain
- · Heart palpitations

Anyone with these symptoms needs medical attention.









Community Care Facilities and Wildfire Smoke

What can I do to prepare for the wildfire season?

It is recommended that community care facilities expand their emergency plan to include a plan to respond to wildfire
smoke.

- Prepare staff to recognize the signs of illness from wildfire smoke exposure and know when medical care is needed. Subscribe to air quality advisories and alerts in your region and download the Air Quality Health Index app.
 - Air Quality Health Index Canada app (set up push notifications for your region)
 - BC Air Quality Subscription Service (for areas outside of Metro Vancouver)
 - Metro Vancouver Air Quality Advisories (for Metro Vancouver)

Ensure that people with chronic health conditions (e.g. asthma) who are prescribed 'rescue' medications' have these medications easily available.

Get ready to keep the air clean inside your facility.

 \Box

- Talk to your building provider about installing a MERV 13 filter (or ideally higher rated) in the existing building ventilation system and making the system HEPA (high efficiency particulate air) filter ready if possible.
- Buy portable air cleaners with HEPA filtration, to use during wildfire events. Different units treat different sized
 rooms, so do your research and make sure the one you buy is sized for your space. Some portable air cleaners
 also have activated carbon filters that can address the other pollutants in wildfire smoke. Avoid air cleaners that
 produce ozone.
 - Read this BCCDC document before choosing a portable air cleaner.
- Note that air cleaners work best when windows and doors are closed, so heat may become an issue on days that
 are also hot. Energy efficient active cooling (e.g. ductless heat pump or air conditioner) may also be needed in
 addition to air cleaners to create a cool space with clean air. Heat can be especially dangerous for older adults
 and people with pre-existing health conditions.
- Arrange a maintenance plan to replace all filters regularly.

<u>Homemade air cleaners</u>, such as portable box fans, are a cheaper alternative to **protect against wildfire smoke while also allowing for ventilation** of the indoor space.





Community Care Facilities and Wildfire Smoke

What should I do during a wildfire smoke event?

	Check your local air quality readings and air quality health index regularly.	
	Air Quality Health Index Canada app	
	 BC Particulate Matter (PM2.5) and AQHI data 	
	Monitor residents in your care for signs of illness.	
П	Make sure residents drink plenty of water to reduce inflammation.	

- Reduce everyone's exposure to wildfire smoke as much as possible.
 - Filter indoor air using portable air cleaners with HEPA filtration and/or HEPA filters (or minimum MERV13 if not possible) in the building air mechanical system for the duration of the wildfire smoke event. Consider running ventilation systems in recirculation mode during smoke events (in addition to upgrading filter efficiency)
 - If the air quality is better indoors, **keep residents inside** during times of high outdoor smoke concentrations.

 Postpone planned outdoor activities or events if there is poor air quality at the time.
 - Reduce outdoor activity during poor air quality episodes and during the hottest time of the day. Understand that the
 harder a person breathes the more smoke they inhale.
 - Consider keeping windows and doors closed during high smoke times; however, make sure that indoor
 temperatures can be maintained below 26°C indoors to prevent heat-related illnesses. Remember that closing
 windows and doors can be dangerous on hot days if you don't have air conditioning. Take advantage of times when
 the smoke has decreased to open windows and doors.
 - If appropriate and you don't have filtered indoor air, go on outings to neighborhood libraries, community centres or other public spaces where there is central air conditioning and cleaner air.

Wildfire Smoke Resources

Fraser Health Wildfire Smoke webpage	Information for the public, community partners and health professionals regarding wildfire smoke, including a number of links to public factsheets and resources
BCCDC Wildfire Smoke Factsheets	Link to various useful public facing factsheets about the health effects of wildfire smoke, how to prepare for the wildfire season, portable air cleaners, and using the AQHI
HealthLinkBC Wildfires and your Health	Information and links to resources for before during and after a wildfire (incl. stress and trauma) in multiple languages
BC Air Quality Subscription Service Metro Vancouver Air Quality Advisories	Subscribe to receive emails when Smoky Sky Bulletins (outside of Metro Vancouver) or Air Quality advisories are issued (Metro Vancouver)
Air Quality Health Index Canada app	The Air Quality Health Index (AQHI) Canada app informs users of the level of health risk associated with local outdoor air quality. It includes user defined push notifications based on the AQHI level at stations you choose
BC Particulate Matter and AQHI data by Monitoring Station Metro Vancouver Air Quality Data	Contains air quality information and maps. For wildfire smoke you would want to look at both the AQHI data and the PM2.5 data

