Mission Community Health Profile



This report provides an overview of health and wellness in Mission that will give residents, community agencies and local governments a better understanding of the factors influencing health in their community. Our hope is that this information will help spark community level dialogue on actions to create health promoting environments and reduce health inequities.

HIGHLIGHTS

- The majority of the health status and healthy behaviour indicators were close to the Fraser Health average. However, the community performs notably worse for the prevalence of obesity, mood/anxiety disorders and binge drinking.
- As with other communities in the Fraser Valley, Mission generally performs worse than the Fraser Health average for indicators related to the healthy built environment.
- The Mission Healthier Community Partnership's plans to improve local health and wellness focus on mental health and substance use, homelessness and physical activity.



MISSION POPULATION 18+ YEARS (CENSUS 2011) = 27,870



a place of mind THE UNIVERSITY OF BRITISH COLUMBIA

COMMUNITY DEMOGRAPHICS

	······ GENDER ······	
9 3	Female Male	52% 48%
•••••	······ AGE (YEARS) ······	••••••
	18-39 40-64 65+	36% 50% 14%
	····· BIRTH PLACE ······	••••••
	Born in Canada	88%
	······ EDUCATION ······	••••••
	Below high school High school Certificate or diploma University degree	14% 33% 41% 11%
•••••	HOUSEHOLD INCOME	•••••
\$	Under \$40,000 \$40,000 to \$79,999 \$80,000 to \$119,999 \$120,000 & above	30% 29% 24% 16%
	····· EMPLOYMENT ·····	
	Employed Not in labour force Unemployed	63% 29% 8%
•••••	······ ETHNICITY ······	••••••
8	Aboriginal Caucasian Chinese South Asian Other	15% 80% s s 2%
	S = suppressed	





myhealthmycommunity.org

Survey and participant recruitment

The My Health My Community survey was conducted between June 2013 and July 2014. People who responded to the survey were 18 years of age or older and lived within the Vancouver Coastal or Fraser Health regions. The survey was available online, in both English and Chinese, and printed versions were also available in English, Chinese and Punjabi. To ensure that we reached all segments of our population, our field outreach team also administered the survey in person in community settings (e.g. community events, seniors groups, homeless shelters).

Overall, more females responded to the survey than males and more responses were received from some geographic areas and population groups than others. Due to the nature of survey responses, it is common practice to "weight" survey results using the most recent census data (2011) to account for these differences. After all of the surveys were completed, we used statistical "weighting" to balance the results so that they represent the population of the geographic region specified. For example, if the responses were 65% female and 35% male, after weighting the responses represent a population that is 51% female and 49% male – closer to the actual values based on census data.

The results in this profile may differ from other publicly reported surveys, e.g. Canadian Community Health Survey, National Household Survey etc., due to differences in methodology such as recruitment, collection and reporting.

More detailed information on the survey tool and questions, recruitment of participants and calculation of indicators can be found in the My Health My Community Technical Report at: www.myhealthmycommunity.org

How to read this profile

Unless otherwise indicated, this report summarizes results for the highlighted geographical area (e.g. municipality) specified on page 1. Results for each indicator on pages 3-7 are presented for the highlighted area overall, and where possible are split into gender (male and female) and three age groups (18-39 years, 40-64 years and 65+ years). In some cases, data for a particular indicator or sub-group have not been shown (suppressed) due to small sample size and this is indicated with an 'S'.


Fraser Valley Regional District averages for each indicator are represented by: (%)

Graphic bullets highlight socioeconomic differences for select indicators across the FRASER VALLEY REGIONAL DISTRICT. Immigration, education, income and ethnicity are represented by the following graphics:



Using the spine chart

The chart on page 8 summarizes results for select indicators of health and well-being (some of which you will find on pages 3-7). In the chart, the results for the highlighted geographic area are given in the first column, along with the results for the relevant larger region (Metro Vancouver, Fraser Valley or Coastal Rural) and the results for the relevant health authority (Vancouver Coastal or Fraser Health). The chart also shows the results for the "worst" and the "best" geographic areas within that health authority. The value for the highlighted geographic area is labeled better (•) or worse (•) if the 95% confidence interval around the municipal value does not overlap with the health authority average.




To provide feedback or for any additional information please contact: info@myhealthmycommunity.org

Mission | Healthy Behaviours

Healthy behaviours contribute to maintaining physical and mental health, and reducing the risk of chronic conditions such as heart disease, diabetes and stroke. Recommended lifestyle behaviours include (but are not limited to) consumption of 5 or more servings of fruits and vegetables per day, limiting harmful alcohol consumption, avoiding smoking, exercising moderately to vigorously for 150 or more minutes per week, and reducing screen time and other sedentary activities.

Healthy behaviours are shaped by individual choices, social and economic conditions and neighbourhood design. Community programs and policies can encourage and enable healthy behaviours and reduce the burden of chronic diseases in our communities.



ACROSS FRASER VALLEY



Compared to immigrants, **Canadian born** were **60% more likely to eat 5+ servings** of fruits and vegetables daily and **70% more likely to be smokers**.

\$

Healthy behaviours were higher among people with an annual household income greater than \$120,000. They were almost 40% less likely to smoke, almost 25% more likely to meet physical activity recommendations and have daily consumption of 5+ servings of fruits and vegetables, and 50% less likely to report 2+ hours daily screen time compared to those with a household income less than \$40,000.


Healthy behaviours were higher among university graduates compared to those with less than high school education. Among university graduates smoking was 70% lower, daily consumption of 5+ servings of fruits and vegetables was 2.5 times higher, and reporting 2+ hours of screen time was 40% lower.



Healthy behaviours differed by ethnicity. Compared to the Fraser Valley average of all ethnicities, **smoking** was **3 times higher among Aboriginal people**, daily **consumption of 5+ servings** of fruits and vegetables was **60% lower among South Asians** and reporting **2+ hours of screen time** was **25% higher among Chinese.**

Mission | Built Environment

The physical environment in which we live, work and play impacts our health. Physical components of a built environment include neighbourhood design, transportation networks, natural environment, healthy food systems and housing. Community design influences community connectedness, mental and physical health, and chronic disease outcomes by promoting healthy behaviours such as walking or cycling. Healthy built environments are a shared responsibility and require the combined efforts of community agencies, health and social services and various levels of government.



ACROSS FRASER VALLEY



Compared to Canadian born, **commuting by** walking/cycling was 90% higher among recent immigrants.



Compared to those with an annual household income of \$120,000+, **commuting by transit** was **4 times higher** and **walking/cycling** was **6 times higher among** those with a **household income less than \$40,000. Second hand smoke exposure** in public places was **2.5 times higher among** those with a **household income less than \$40,000** compared to an income of \$120,000+.




Among those with less than high school education, commuting by transit was 5 times higher and walking/ cycling was 2 times higher compared to university graduates. Exposure to second hand smoke in public places was 45% lower among university graduates compared to those with less than high school education.



Among all ethnicities, Caucasians had higher use of cars as the main mode of commute. Compared to the Fraser Valley average, exposure to second hand smoke in public places was 2 times higher among both Aboriginal and Chinese people.


Mission | Built Environment




Mission | Community Resiliency

Support from families, friends and communities is associated with better health as it helps people deal with challenges and overcome problems. Supportive communities provide environments in which people are able to make decisions to improve their health and engage in healthy behaviours.

HAVE 4+ PEOPLE TO CONFIDE IN



STRONG SENSE OF COMMUNITY BELONGING



ACROSS FRASER VALLEY



Sense of **community belonging** and having 4+ people to confide in **did not differ** significantly by **immigration** status.



Those with an annual **household income of \$120,000+** were **45% more likely** to report having **4+ people to confide in** compared to those with an income of less than \$40,000.



Sense of **community belonging** and having 4+ people to confide in **did not differ** significantly **by** level of **education**.




Compared to regional average, strong sense of community belonging was 35% higher among South Asians.

Mission | Family Doctor

Regular access to a family doctor plays an important role in maintaining health and preventing chronic illness. Regular contact with a health care provider ensures that recommended preventive services, like screening for early stages of disease, is timely and that chronic conditions are well-managed to prevent complications. Having a regular care provider also helps to maintain continuity of care.

HAVE A FAMILY DOCTOR



ACROSS FRASER VALLEY

SELF-RATED MENTAL HEALTH



Having a **family doctor did not differ** significantly **by** level of **education**.




Respondents with an **annual income of \$120,000+** were **10% more likely to have a family doctor** compared to those with a household income less than \$40,000.

Compared to Canadian born, having a **family doctor** was **30% lower among recent immigrants**.

Mission | Health Status

Our physical and mental health is influenced by lifestyle behaviours, access to health services, the built environment, and our social and economic situation. Self-rated health is considered to be a good measure of the general health status of a population.



SELF-RATED GENERAL HEALTH

ACROSS FRASER VALLEY



Compared to those with less than high school education, reporting **excellent or very good general** health was 65% higher and excellent or very good mental health was 20% higher among university graduates.




Compared to those with an annual household income below \$40,000, reporting **excellent or very good general health** was **60% higher** and **excellent or very good mental health** was **30% higher among** those with **annual income \$120,000+**.

Mission | Obesity

OBESITY (BODY MASS INDEX >=30.0)





ACROSS FRASER VALLEY




Obesity was **30% lower among university graduates** compared to those with less than high school education.


Obesity was **30% lower among immigrants** compared to Canadian born.

Mission | Self-reported Chronic Conditions

Chronic illnesses are a major burden on our health care system, individuals, families and communities. Strategies to prevent chronic conditions include the development of policies and programs, at a community level, which encourage and enable healthy behaviours in order to reduce risk factors for chronic disease.



HIGH BLOOD PRESSURE



ACROSS FRASER VALLEY



Compared to those with an annual household income of \$120,000+, **diabetes** was **6 times higher**, **high blood pressure** was **2 times higher**, **mood and anxiety disorders** were **2 times higher** and **multiple chronic conditions** were **9 times higher among** those with an annual household **income of less than \$40,000**.



Compared to university graduates, **diabetes** was **3 times higher**, **high blood pressure** was **80% higher** and **multiple chronic conditions** were **2.5 times higher among** those with **less than high school education**.

MULTIPLE CHRONIC ILLNESSES

Mission | Community Health Indicators

The chart below summarizes select indicators of health and well-being. Results for Mission are compared to the Fraser Valley region as well as Fraser Health Authority.

• Better	Similar • Worse • Fraser Valley Averag							
DOMAIN	Indicator	Mission (%) n = 569	Fraesr Valley (%) n = 2920 30.3	Fraser Health (%) n = 15427 28.5	Fraser Health Worst (%)	Summary Chart		Fraser Health Best (%)
ECONOMIC	Household income under \$40,000	30.4			47.3	•		6.9
	Currently unemployed	8.0	5.8	6.0	12.0	•	•	4.0
HEALTH STATUS	General health (excellent/very good)	48.6	48.5	47.5	40.7		•	58.9
	Mental health (excellent/very good)	58.1	61.2	58.8	47.7	•	•	64.6
	Obesity (BMI 30+)	32.9	33.7	27.2	36.7	.		17.3
	Diabetes	7.9	9.9	8.8	11.5	•	•	3.3
	High blood pressure	23.0	21.2	19.5	34.4	••		14.4
	Heart disease	3.7	3.7	5.0	7.6		•	2.8
	Chronic breathing condition	8.4	8.5	7.3	10.9	•		4.1
	Arthritis	16.1	14.7	13.9	30.0	•		7.4
	Mood or anxiety disorder	28.2	19.4	16.7	28.2	• •		13.9
	Multiple chronic conditions ¹	9.0	9.1	8.8	12.5			5.9
	Cancer (lung, breast, prostate or colorectal)	2.3	3.6	3.0	8.8	•	•	2.3
LIFESTYLE	Binge drinking (1+ times/month) ²	23.9	18.9	18.8	24.8	•		15.1
	Smoker (daily/occasional)	13.8	10.7	10.5	22.4	•		3.3
	Physical activity (150+ minutes/week)	45.1	45.4	43.3	38.2		•	56.7
	5+ servings of fruits and vegetables (/day)	26.6	25.2	23.6	20.5		• •	30.0
	Stress (extremely/quite stressed)	18.1	17.6	18.6	26.3		•	13.7
	Screen time (2+ hours/day)	49.8	49.7	47.5	60.8	•		41.4
	High physical wellness score (10-16) ³	37.2	38.2	35.6	28.4		••	43.9
PRIMARY CARE ACCESS	Have a family doctor	83.5	89.7	85.8	78.5	•	•	92.3
	Visited health care professional (past 12 months)	81.3	81.2	79.9	76.0		•	84.4
	Visited physician with appointment	73.6	80.4	77.0	71.3	•	•	85.6
	Visited walk-in clinic without appointment	19.4	11.2	15.1	21.0	•		7.9
BUILT ENVIRONMENT	Commute - car	72.1	80.1	67.0	81.8	 ● 		47.5
	Commute - public transit	13.6	6.4	21.4	3.2	•		38.0
	Commute - walk or cycle	6.9	9.2	8.4	3.7	•	•	20.9
	Commute time (one way 30+ minutes)	38.8	36.1	55.7	66.6		••	33.3
	Primary mode to run errands - walk or cycle	4.3	5.1	11.0	3.9	•		24.9
	Second hand smoke exposure (public places)	22.7	15.9	23.5	32.2		• •	6.8
	Sidewalks well maintained (strongly/somewhat agree)	58.8	67.9	72.8	40.1	• •		86.5
	Amenities within walking/cycling distance (strongly/ somewhat agree)	32.3	48.8	61.3	32.3	• •		82.3
	Transit stop (less than 5 minute walk)	76.3	71.5	78.7	14.7			91.3
COMMUNITY RESILIENCY	Emergency supplies (3+ days)	30.1	29.1	27.3	23.5		• •	32.0
	Food insecure (sometimes/often)	6.4	4.9	6.3	12.7		•	3.6
	Community belonging (strong/somewhat strong)	64.9	59.4	56.0	49.1		•	71.1
	4+ people to confide in/turn to for help	48.1	46.5	43.2	32.1			50.5

1 Reported diagnosis of two or more of the following: Diabetes, heart disease, stroke, high blood pressure or chronic breathing conditions.

2 Five or more drinks on one occasion for males and 4 or more drinks on one occasion for females.

3 Lifestyles characterised by eating 5+ servings of fruits or vegetables a day, 30+ minutes of walking a day, 150+ minutes of moderate or vigorous physical activity a week, and not smoking. Wellness scores ranged from 0-16.