

February 24, 2022

Sent on behalf of the Fraser Health Long-Term Care and Assisted Living Coordination Centre

NEW Implementing PAXLOVID Treatment in Long-Term Care and Assisted Living

- Please see [Policy](#) and [Pre Printed Orders](#) for the use of PAXLOVID in the management of residents and tenants with mild to moderate symptoms of COVID-19
- Medication must not be crushed, broken or chewed
- Treatment window is within 5 days of symptom onset
- Please see [attached KYI](#)

UPDATED Visitation Table: Visits to Long-Term Care and Assisted Living

- [The Visitation Table](#) has been updated in the COVID-19 LTC/AL Resource Tool Kit to align with the Ministry of Health Visitor Guidance updated on February 3rd.

UPDATED COVID-19 Screening Process for Visitors

- Please see updated [screening process document](#) with rapid point of care testing information added
- Visitor log for contact tracing for PH removed

NEW BCCDC Poster: How is COVID-19 Transmitted

- [BCCDC Chain of Transmission Poster](#) has been added to the COVID-19 LTC/AL Resource Tool Kit

NEW Information Bulletin for Health Care Workers: COVID-19 booster dose

- Please see [Ministry of Health bulletin](#) and share the importance of getting a COVID-19 booster with staff
- Booster doses are accessible to every health care worker six months after their second dose

NEW LTC/AL Coordination Centre

- In the coming weeks, the LTC/AL Coordination Centre will be updating its structure and communications processes. More information is to come shortly